

Dear Valued Customer,

In order to protect your consumer rights, please ensure that at the time of purchase you fill out the provided warranty certificate, coupled with the retailer stamp so as to ensure valid warranty.

親愛的顧客您好，為了保障您的權益，請您於購買時，立即請經銷商填寫購買日期並蓋店章，也請妥善保存保固書，才能享有本公司之完整售後服務。

Product Name* (品名*)				
Serial number* (序號*)				
Date of purchase* (購買日期*)	AD (西元)	Year (年)	Month (月)	Date (日)
Name (姓名)				
Telephone No. (電話)				
Address (地址)				
E-mail (電子信箱)				

Store of purchase (Official stamp required)
經銷店章* (請務必蓋章保固方為有效)

- Warranty period begins on the date of purchase of brand new, unused products by first-end user. Please retain receipt and warranty certificate as proof of purchase.
- If within, warranty period, the product is determined defective, please return to the original store of purchase for a replacement.
- For additional services, please email info@luxa2.com or contact one of our global offices, of which, details can be found on the previous page.
- 未蓋店章及未填上購買日期，則保固期限以產品序列號所查詢到的出貨日期開始計算。
- 送修流程：聯絡原購買店家→退回不良品→店家維修→送修回顧客
- 如需其他服務，請寄電子郵件至 info@luxa2.com 信箱或直接聯繫LUXA2全球分公司 查辦事處，詳情請洽LUXA2官網<http://www.luxa2.com.tw/>


LUXA²
A Division of Thermaltake

Groovy 
Wireless Stereo Speaker


QUICK START GUIDE




GroovyA




Package Contents




Buttons & Controls




Charging your GroovyA




LED Light Indicator




Bluetooth Pairing




Connection Refresh



AUX-IN




Controls & Functions




Skip back:

Press the volume down button for 0.5 seconds.




Volume down:

Press and hold the volume down button until desired level reached.




Play/Pause, Answer/End Call:

Press the Play/pause/call button for 0.5 seconds



Skip forward:

Press the volume up button for 0.5 seconds.




Volume up:

Press and hold the volume up button until desired level reached


Speakerphone

Make/take conference and group phone calls


The GroovyA is programmed to give incoming calls priority over all other musical functions during operation.



1. When the GroovyA is connected over Bluetooth to your smartphone device and a call is received, the speaker will automatically play a ringtone over the speaker.



2. Press the Play/Pause button on the GroovyA to answer the call over the speaker.



3. To end call simply press Play/Pause button or alternatively on your smartphone.

General Features:

- Total Audio Output 7W(3.5W x2)
- Bluetooth CSR v4.0
- 15° & 30° adjustable angle
- 2200mAh li-polymer battery
- Full charge: 5 hours (0-100%)
- Brushed aluminum construction
- Built-in mic with speakerphone
- LED status indicators
- Aux-in for wired play
- Wireless range up to 33ft (10m)

Technical Specifications:

- Dimension: 220 x 65 x 88mm
- Weight: 580g
- Casing: Aluminum and Plastic

Audio Details:

- Stereo Output Power: 3.5W (RMS) x 2 Channels
- Speaker Driver: Φ 52mm
- Speaker Impedance: 4 Ohm
- Frequency Responses: 100Hz to 20KHz
- Operating Temperature: 0 to 40°C
- Built-In Microphone

Wireless Connectivity:

- Technology: Bluetooth 4.0 (CSR BC8 8635 V4.0)
- Wireless Range: 33ft (10m)
- Receiver Sensitivity: better than -80dBm
- Audio SNR: > 80dB

Power/Battery:

- Description:
Built-in rechargeable Lithium Polymer battery
- Battery Capacity: 2200mAh
- Playback Time: Up to 15 hours
(varies by volume level and audio content)
- Time Required for Full Charge: 5 hours (0-100%)
- Input: DC 5V/500mA, Micro USB

Warnings:

- Don't drop, disassemble or attempt to repair the speaker by yourself.
- Avoid exposure to water or high humidity.
- Don't expose to any heat source.

Allgemeine Funktionen:

- Gesamt-Audioleistung 7 W (3,5 W x2)
- Bluetooth CSR V 4.0
- 15° & 30° justierbarer Winkel
- 2200 mAh Li-Polymer-Batterie
- Volle Ladung: 5 Stunden (0-100 %)
- Konstruktion mit gebürstetem Aluminium
- Integriertes Mikrofon mit Freisprecheinrichtung
- LED-Statusanzeigen
- Aux-in für drahtgebundene Spiele
- Funkreichweite bis zu 33 ft (10 m)

Technische Spezifikationen:

- Abmessungen: 220 x 65 x 88 mm
- Gewicht: 580 g
- Gehäuse: Aluminium und Plastik

Audio-Details:

- Stereoausgangsleistung: 3,5 W (RMS) x 2 Kanäle
- Lautsprechertreiber: Φ 52 mm
- Lautsprecher-Impedanz: 4 Ohm
- Frequenzgänge: 100 Hz bis 20 Khz
- Betriebstemperaturbereich: 0 bis 40 °C
- Eingebautes Mikrofon

Drahtloskonnektivität:

- Technologie: Bluetooth 4.0 (CSR BC8 8635 V4.0)
- Drahtlosreichweite: 33 ft (10 m)
- Empfängerempfindlichkeit: besser als -80 dBm
- Audio SNR: > 80 dB

Leistung/Batterie:

- Beschreibung:
Integrierte wiederaufladbare Lithium-Polymer-Batterie
- Batteriekapazität: 2200 mAh
- Wiedergabezeit: Bis zu 15 Stunden
(je nach Lautstärke und Audio-Inhalten)
- Benötigte Zeit für eine volle Ladung: 5 Stunden (0-100 %)
- Eingang: Gleichstrom 5 V/500 mA, Mikro USB

Warnungen:

- Nicht fallen lassen, verbergen oder zu versuchen, oder reparieren Sie die Lautsprecher von sich.
- Weder Wasser noch hoher Feuchtigkeit aussetzen.
- Keinen Hitzequellen aussetzen.

Caractéristiques générales:

- Sortie audio totale 7 W (3,5 W x 2)
- Bluetooth CSR v4.0
- Angle réglable 15° et 30°
- Batterie lithium-polymère 2 200 mAh
- Charge complète : 5 heures (0 – 100 %)
- Châssis en aluminium brossé
- Microphone intégré avec haut-parleur
- Voyants d'état
- Entrée auxiliaire pour connexion filaire
- Portée sans fil jusqu'à 10 m (33 pieds)

Caractéristiques techniques:

- Dimensions : 220 x 65 x 88 mm
- Poids : 580 g
- Boîtier : Aluminium et plastique

Détails audio:

- Puissance de la sortie stéréo : 3,5 W (efficace) x 2 canaux
- Haut-parleurs : Ø 52 mm
- Impédance : 4 Ohm
- Bande de fréquence : 100 Hz à 20 KHz
- Température de fonctionnement : 0 à 40 °C
- Microphone intégré

Connectivité sans fil:

- Technologie : Bluetooth 4.0 (CSR BC8 8635 V4.0)
- Portée sans fil : 10 m (33 pieds)
- Sensibilité du récepteur : supérieure à - 80 dBm
- Rapport S/B : > 80 dB

Alimentation/batterie:

- Description : Batterie intégrée rechargeable au lithium-polymère
- Capacité de la batterie : 2 200 mAh
- Autonomie : Jusqu'à 15 heures (selon le niveau de volume et le contenu audio)
- Temps de charge complète : 5 heures (0 – 100 %)
- Entrées : 5 Vcc/500 mA, Micro USB

Avertissements:

- Ne laissez pas tomber, dissimuler ou tenter de réparer le haut-parleur ou par vous-même.
- Évitez l'exposition à l'eau ou à l'humidité.
- N'exposez pas à une source de chaleur.

特點:

- 輸出功率 7W MAX
- 藍牙 CSR v4.0
- 15° & 30° 可調式角度
- 2200mAh 鋰電池
- 充電時間: 5小時 (0-100%)
- 鋁合金髮絲紋機身
- 內建麥克風、支援免提通話
- LED狀態指示燈
- 支援 Aux-in 外接播放 (3.5mm)
- 無線範圍達 10公尺

規格:

- 尺寸: 220 x 65 x 88 mm
- 重量: 580 克
- 材質: 鋁和塑膠

喇叭規格:

- 輸出功率: 3.5W (RMS) x 2 Channels
- 驅動器: Ø52mm
- 阻抗: 4 Ohm
- 頻率響應: 100Hz to 20KHz
- 工作溫度: 0 to 40°C
- 內建麥克風

無線連接:

- 藍牙 4.0 (CSR BC8 8635 V4.0)
- 無線範圍: 10公尺
- 接收靈敏度: 大於 -80dBm
- 音頻信噪比: ≥80dB

電力 / 電池:

- 內置可充電鋰電池
- 電池容量: 2200mAh
- 播放時間: 長達 15 小時 (由音量級和音頻內容而異)
- 完整充電時間: 5 小時
- 輸入: DC 5V/500mA, Micro USB

警告:

- 請勿任意的拆解、摔落或改造喇叭。
- 請勿將移動電源暴露於潮濕的環境。
- 請遠離火源和高溫環境。

根據交通部 低功率管理辦法 規定：

第十二條 經型式認證合格之低功率射頻電機，非經許可，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。第十四條 低功率射頻電機之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。前項合法通信，指依電信法規定作業之無線電通信。低功率射頻電機須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

Основные характеристики:

- Общая мощность звука 7 Вт (3,5 Вт x 2)
- Bluetooth CSR v4.0
- Регулируемый угол наклона 15° и 30°
- Литий-полимерный аккумулятор 2200 мАч
- Время полного заряда: 5 часов (0-100%)
- Конструкция из матового алюминия
- Встроенный микрофон с динамиком
- Светодиодные индикаторы состояния
- Вход Аух для проводного подключения
- Радиус действия беспроводной связи до 33 футов (10 м)

Технические характеристики:

- Размеры: 220 x 65 x 88 мм
- Масса: 580 г
- Корпус: алюминий и пластмасса

Сведения о звуковых характеристиках:

- Выходная мощность стерео: 3,5 Вт (RMS) x 2 канала
- Излучатель динамика: Ф52 мм
- Сопротивление динамика: 4 Ом
- Частотные характеристики: от 100 Гц до 20 кГц
- Рабочая температура: 0-40°C
- Встроенный микрофон

Возможности беспроводного соединения:

- Технология: Bluetooth 4.0 (CSR BC8 8635 V4.0)
- Радиус действия беспроводной связи: 33 фута (10 м)
- Чувствительность приемника: более -80 дБм
- Соотношение сигнал-шум для звука: > 80 дБ

Питание/аккумулятор:

- Описание: встроенный литий-полимерный аккумулятор
- Емкость аккумулятора: 2200 мАч
- Время воспроизведения: до 15 часов
(зависит от уровня громкости и музыкального контента)
- Время полной зарядки: 5 часов (0-100%)
- Вход: постоянный ток 5 В/500 мА, Micro USB

⚠ Внимание!

- Не бросайте, не лужайте и не пытайтесь ремонтировать или динамик самостоятельно.
- Избегайте воздействия воды или высокой влажности.
- Не подвергайте воздействию любого источника тепла.

Características generales:

- Salida de audio total 7 W (3,5 W x 2)
- Bluetooth CSR v4.0
- Ángulo ajustable en 15° y 30°
- Batería de litio en polímero de 2.200 mAh
- Carga completa: 5 horas (0-100%)
- Estructura de aluminio cepillado
- Micrófono integrado con altavoz
- LED indicadores de estado
- Entrada auxiliar para reproducción con conexión física
- Alcance inalámbrico de hasta 10 m (33 pies)

Especificaciones técnicas:

- Dimensiones: 220 x 65 x 88 mm
- Peso: 580 g
- Carcasa: aluminio y plástico

Características de audio:

- Potencia de salida estéreo: 3,5 W (RMS) x 2 canales
- Altavoz: Ф 52 mm
- Impedancia del altavoz: 4 Ω
- Respuesta en frecuencia: de 100 Hz a 20 kHz
- Temperatura de funcionamiento: de 0 a 40 °C
- Micrófono integrado

Conectividad inalámbrica:

- Tecnología: Bluetooth 4.0 (CSR BC8 8635 V4.0)
- Alcance inalámbrico: 10 m (33 pies)
- Sensibilidad del receptor: superior a -80 dBm
- Relación señal/ruido del audio: > 80 dB

Alimentación y baterías:

- Descripción: batería recargable integrada de litio en polímero
- Capacidad de la batería: 2.200 mAh
- Tiempo de reproducción: hasta 15 horas
(depende del volumen y del contenido de audio)
- Tiempo necesario para recarga completa: 5 horas (0-100%)
- Entrada: 5 V / 500 mA c.c., Micro USB

⚠ Advertencias:

- No desmonte ni intente reparar el altavoz usted mismo.
- Evite la exposición al agua o a humedades altas.
- Evite la exposición a fuentes de calor.



Featured Products

MUSIC WHERE
YOU WANT IT
TO BE

Groovy Duo

Live Wireless Speaker



Groovy Duo mixes hi-tech with hi-fashionistic appeal that ultimately connects you and all your audio experiences with friends, family and the rest of the world. Born as a set of twins, individually they are great, combined they are exceptional. Bring your music to life with the Groovy Duo for the ultimate portable audio experience.

HAND IT, HOLD IT,
PLAY IT.

GroovyR

360° Micro Wireless Wall Mount Speaker



The GroovyR's suave circular form factor designed body provides a truly immersive sound experience, and its unique dual function smartphone and wall mount holder ensures always on-the-go and on-the-spot musical enjoyment. Roll to the beat with the GroovyR and give yourself the musical experience you deserve.



★★★★
**WORLD'S
LARGEST**
★ POWER BANK ★

P-MEGA

41600mAh Power Station



A new titan of the portable power world has entered the realm; encompassing a titanic 41,600mAh of juice that provides seemingly endless power to all that desire it.

From this, a new era of rule begins. Long live P-MEGA.



STUNNINGLY
POWERFUL

PL3 10400mAh

Leather Power Bank



Hand stitched leather exterior that oozes quality craftsmanship, and packing a whopping 10,400mAh Li-ion Samsung cell, the PL3 provides that sense of sophistication and elegance for power users who desire that something little bit extra in their power charging lifestyle.

Turn heads, even when not in use.

Thank you for choosing LUXA2 products. If you have any question, please contact us by the following information. We will reply you as soon as possible.

Headquarter

Thermaltake Technology Co., Ltd.
- LUXA2 Business Division

TEL: +886-2-8797-5788

FAX: +886-2-8797-5199

E-MAIL: info@luxa2.com

www.luxa2.com.tw

Overseas Branch

Thermaltake U.S.A. - LUXA2 Division

TEL: +1-626-968-9189

FAX: +1-626-968-7659

E-MAIL: info.usa@luxa2.com

www.luxa2.com

Thermaltake Beijing Co., Ltd. - LUXA2 Division

TEL: +86-10-8288-3703

FAX: +86-10-8288-3302

E-MAIL: info.cn@luxa2.com

www.luxa2.com.cn

Thermaltake Russia Representative Office

TEL: +7-495-739-5906

FAX: +7-495-739-5915

E-MAIL: sales@luxa2.com

www.luxa2.ru

Thermaltake Australia and New Zealand Pty Ltd.

- LUXA2 Division

TEL: +61-03-9763-1622

FAX: +61-03-9763-1677

E-MAIL: info.au@luxa2.com

Thermaltake Germany GmbH - LUXA2 Division

TEL: +49(0)40/30-85-86-0

FAX: +49(0)40/30-85-86-89

E-MAIL: info.ge@luxa2.com

www.luxa2.de



WATCH & LEARN
Scan the QR code